










筒車直驅伺服馬達規格件表/CONVERSION CHART

P1

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W121 C858JD-CH	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	MH41	MT01	UYX128GAS #10	T501HE
C007JD-U121 C858JD-CH	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	—	MT01	UYX128GAS #10	
C007JD-W121 C858JD-CH/UTP(UTR)	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	MH41	MT01	UYX128GAS #10	
C007JD-U121 C858JD-CH/UTQ(UTS)	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	—	MT01	UYX128GAS #10	
C007JD-W122 C858JD-CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E 3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UYX128GAS #10	
C007JD-U122 C858JD-CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E 3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UYX128GAS #10	
C007JD-W122 C858JD-CH/UTP(UTR)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E 3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UYX128GAS #10	

註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A










P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

筒車直驅伺服馬達規格件表/CONVERSION CHART

P2

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD C858JD CH/UTQ(UTS)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UYX128GAS #10	T501HE
C007JD C858JD /CHA	356	M5356	E 3826Q	D 4206	H 4458	P0216-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CHA	356	M5356	E 3826Q	D 4206	H 4458	P0416-A	—	MT01	UYX128GAS #10	
C007JD C858JD /CH	240 248 356 364	M5240 M5248 M5356 M5364	E 3534P E3535P E 3836P E 3837P	D4206 D4206 D4206 D4207	H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CH	240 248 356 364	M5240 M5248 M5356 M5364	E 3534P E3535P E 3836P E 3837P	D4206 D4206 D4206 D4207	H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2447-A	—	MT01	UYX128GAS #10	
C007JD C858JD /CHE	240 248 356 364	M5240 M5248 M5356 M5364	E 2324P E2325P E 2326P E2327P	D2109 D2109 D2110 D2110	H2219 H2219 H2220 H2220	P2904-A P2905-A P2906-A P2907-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD CHE/UTP(UTR)	356 364	M5356 M5364	E 2326P E2327P	D2110	H2220	P2906-A P2907-A	MH41	MT01	UYX128GAS #10	

註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A










P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

筒車直驅伺服馬達規格件表/CONVERSION CHART

P3

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W152 C858JD /CZP/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41	MT01	UYX128GAS #10	T501HE
C007JD-U152 C858JD /CZP/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	—	MT01	UYX128GAS #10	
C007JD-W152 C858JD CZP/CLA/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41	MT01	UYX128GAS #10	
C007JD-U152 C858JD CZP/CLA/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	—	MT01	UYX128GAS #10	
C007JD-W162 C858JD	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01A	TVX5 #14~16	
C007JD-U162 C858JD	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01A	TVX5 #14~16	
C007JD-W162 C858JD /UTP (UTR)	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01A	TVX5 #14~16	
C007JD-U162 C858JD /UTQ (UTS)	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01A	TVX5 #14~16	

註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A








P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

筒車直驅伺服馬達規格件表 / CONVERSION CHART

P4

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W222 C858JD /CQ	240	M5240	E 4124P	D3216	H3362	P1814-A	MH41	MT01	UYX128GAS #10	T501HE
C007JD-U222 C858JD /CQ	248 356 364	M5248 M5356 M5364	E4125P E 4426P E4427P	D3216 D3216 D3217	H3362 H3362 H3363	P1815-A P2116-A P2117-A	—			
C007JD- C858JD /CQA/CLA	256	M5356	E2326Q	D2110	H2220Q	P2906Q-A	MH41	MT01A	TVX5 #14	
C007JD-W322 C858JD /CC	356 364	M5356 M5364	E 2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UYX128GAS #10	
C007JD-U322 C858JD /CC	356 364	M5356 M5364	E 2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UYX128GAS #10	
C007JD-W322 C858JD CC/UTP(UTR)	356 364	M5356 M5364	E 2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UYX128GAS #10	
C007JD-U322 C858JD CC/UTQ(UTS)	356 364	M5356 M5364	E 2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UYX128GAS #10	









註(1) : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A
P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.
P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A
P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

09/12/11

註(2) : C007JD-W/U322A-³⁵⁶/₃₆₄ /CC 時,該針板與送具改用 C007JD-³⁵⁶/₃₆₄ /U122-³⁵⁶/₃₆₄ 之針板與送具,加附CHJ-A
When W/U322A-³⁵⁶/₃₆₄ /CC, The needle plate and the feed dog have to be replaced by C007JD-W/U122-³⁵⁶/₃₆₄ needle plate and the feed dog ,
with CHJ-A attached.

筒車直驅伺服馬達規格件表/CONVERSION CHART

P5-1







										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD C858JD W512 /FE	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E 3827R	D 4206 D 4206 D 4207	H 4458 H 4458 H 4459	P2914-A P3216-A P3217-A	MH41	MT01	UYX128GAS #10	☐ T501HE
C007JD C858JD U512 /FE	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E 3827R	D 4206 D 4206 D 4207	H 4458 H 4458 H 4459	P3414-A P3716-A P3717-A	—	MT01	UYX128GAS #10	
C007JD C858JD W522 /FE/CR/CL	356 364	M5356 M5364	E 6426R E 6427R	D 3222	H 3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD U522 /FE/CR/CL	356 364	M5356 M5364	E 6426R E 6427R	D 3222	H 3268	P3816R-A P3817R-A	—	MT01	UYX128GAS #10	
C007JD C858JD W532/ CR/UTP/CL/RLP/CX	356 364	M5356 M5364	E 6426R E 6427R	D 3222	H 3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD U532/ CR/UTQ/CL/RLP/CX	356 364	M5356 M5364	E 6426R E 6427R	D 3222	H 3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD W922/ CW	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (MY1014B#70,SY7256)	
C007JD C858JD W922/ CW/UTP	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (MY1014B#70,SY7256)	
C007JD C858JD W922/ CW/UTR	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (MY1014B#70,SY7256)	

註：C007JD/C858JD 不可加裝FFC

10/07/08

筒車直驅伺服馬達規格件表/CONVERSION CHART

P6








										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD C858JD-W512 /FE	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E3827R	D 4206 D 4206 D 4207	H 4458 H 4458 H 4459	P2914-A P3216-A P3217-A	MH41	MT01	UYX128GAS #10	T501HE
C007JD C858JD-U512 /FE	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E3827R	D 4206 D 4206 D 4207	H 4458 H 4458 H 4459	P3414-A P3716-A P3717-A	—	MT01	UYX128GAS #10	
C007JD C858JD-W522 /FE/CR/CL	356 364	M5356 M5364	E 6426R E6427R	D 3222	H3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD-U522 /FE/CR/CL	356 364	M5356 M5364	E 6426R E6427R	D 3222	H3268	P3816R-A P3817R-A	—	MT01	UYX128GAS #10	
C007JD C858JD-W532/ CR/UTP/CL/RLP/CX	356 364	M5356 M5364	E 6426R E6427R	D 3222	H3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD-U532/ CR/UTQ/CL/RLP/CX	356 364	M5356 M5364	E 6426R E6427R	D 3222	H3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD-W922/ CW	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (MY1014B#70,SY7256)	
C007JD C858JD-W922/ CW/UTP	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (MY1014B#70,SY7256)	
C007JD C858JD-W922/ CW/UTR	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (MY1014B#70,SY7256)	

註： C007JD/C858JD不可加裝FFC

FFC can not be attached to C007JD/C858JD.

筒車直驅伺服馬達規格件表/CONVERSION CHART

P7

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W811 C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	T501HE
C007JD-W811A C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-U811 C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14	
C007JD-U811A C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14	
C007JD-W811 C858JD CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-W811A C858JD CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-U811 C858JD CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14	
C007JD-U811A C858JD CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14	
C007JD-W812 C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-W812A C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-U812 C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD-U812A C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	

註：C007JD-W812A/W813A 機型之針板與差送具為5排齒。

The needle plate and the differential feed dog of W812A/W813A model are five teeth.







C007JD-W812/W813 機型之針板與差送具為4排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

09/12/11

筒車直驅伺服馬達規格件表/CONVERSION CHART

P8

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W812 C858JD CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	T501HE
C007JD-W812A C858JD CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-U812 C858JD CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD-U812A C858JD CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD-W812 C858JD /CRL/UTR	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-W812A C858JD /CRL/UTR	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-U812 C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	UYX128GAS #10	
C007JD-U812A C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	UYX128GAS #10	
C007JD-W813 C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-W813A C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-U813 C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD-U813A C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	

註：C007JD-W812A/W813A 機型之針板與差送具為 5 排齒。






The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007JD-W812/W813 機型之針板與差送具為 4 排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

筒車直驅伺服馬達規格件表/CONVERSION CHART

P9

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W813 C858JD /CRL/UTR	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	T501HE
C007JD-W813A C858JD /CRL/UTR	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-U813 C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	TVX5 #14	
C007JD-U813A C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	TVX5 #14	
C007JD-W822 C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-W823 C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-U822 C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD-U823 C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14	
C007JD-W822 C858JD CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-W823 C858JD CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	

註：C007JD-W812A/W813A 機型之針板與差送具為5排齒。
C858JD







The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007JD-W812/W813 機型之針板與差送具為4排齒。
C858JD

The needle plate and the differential feed dog of W812/W813 model are four teeth.







筒車直驅伺服馬達規格件表/CONVERSION CHART

P10


										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-U822 C858JD CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	 T501HE
C007JD-U823 C858JD CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14	
C007JD-U822 C858JD CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD-U823 C858JD CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14	

筒車直驅伺服馬達規格件表 / CONVERSION CHART


P11

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	CAM	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	偏心凸輪	針 號
C007JD C858JD-W522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	MH41E	MT01	MF01-A	UYX128GAS #11
C007JD C858JD-U522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	—	MT01	MF01-A	UYX128GAS #11
C007JD C858JD-W812 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P2765 P2766 P2767	MH41E	MT01	MF91-A	UYX128GAS #11
C007JD C858JD-U812 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	MF91-A	UYX128GAS #11
C007JD C858JD-W813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P2765 P2766 P2767	MH41E	MT01	MF91-A	UYX128GAS #11
C007JD C858JD-U813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	MF91-A	UYX128GAS #11


C858JD PARTS LIST FOR MF GROUP P.1/1




C858JD PARTS LIST FOR MG GROUP P.1/1



C858JD PARTS LIST FOR MH GROUP P.1/1




C858JD PARTS LIST FOR MJ GROUP P.1/1



FOR C007J/C007JD/C858J/C858JD/S007K/S007KD

11/06/07


C858JD PARTS LIST FOR MK GROUP P.1/1




FOR C007J/C007JD/C858J/C858JD/F007J/F007JD/F858J/F858JD/S007K/KD

11/08/12

PARTS LIST FOR MN GROUP P.1/2



PARTS LIST FOR MN GROUP P.2/2




選 配 件	
PARTS NO.	MQ42



11/03/14


C858JD PARTS LIST FOR MR-J GROUP P.1/1



FOR C007J/C007JD/C858J/C858JD
*USE FOR C007JD/C858JD

11/08/09

11/11/23



P.1/1



*USE FOR C007JD/C858JD

11/12/21

C858JD PARTS LIST FOR MU GROUP P.1/1

A

B

C

D

E

MS08D-C1
MS108-C

MU01-E

SM502*2

MU01

EM253

MU06-C

MV33H

MU02

BR4250

BR4250

MU03

MU07

EM253

MU06

SM502*2

MU06-E

MU03-E

MU30-A

MU16

SM490

SM490

MU15

MU08

SM502*3

MU30

MU31

PM311

SM533

WM400

SM432

MU32

MU33

MU34-1

MU34-2

SM301

PM403

MU34-A

MU12-E

MU12

EM095

SM516

MU10

MU11

SM402*2

MU09

MU09-E

MU17H

OR160

OS2171

MU18H-A

MU18H

SM603

MU35-A

MU21

MU36

MU35-E

MU35-1

MU35-2

SM451*2

KP39

KP60

SK399

KP46

WK01


SM431

MU28

10/05/20

C858JD PARTS LIST

FOR MV GROUP P.1/1



C858JD PARTS LIST

FOR MW GROUP P.1/1


A

B

C

D

E



FOR C007J/C007JD/C858J/C858JD
*USE FOR C007JD/C858JD

10/12/16

C858JD PARTS LIST FOR MY GROUP P.1/1

A

B

C

D

E

MY01



KY03



KY04




KY05-A



KY23-A

KY23(6/7mm)

KY09



MY10-A

MY09

KY10

MY10

MY11

MY12

KY11

KY14

LY33-A

LY33

LY34

KY18

1.5

2


2.5

3

4

5

KY20D-A




針*5



KY21-1

MY21


MY21-E



KY201




KZ03*1




△SM886-A

□ SM886-A1

KT14-A



MY29D



SM886*4

WM800*4

WM810*4

NM810*4

SK391*5

SM886*4

WM800*4


WM810*4

NM810*4

SK391*2


MY45

使用説明書




MY46

零件圖



MY47
(UT975)
(UT976)

筒車特殊件零件圖



零件圖

基本車	MY46
特種車	MY46 MY47
UTP/UTQ	MY46 UT975
特種車 + UTP/UTQ	MY46 MY47 UT975
UTR/UTS	MY46 UT976
特種車 + UTR/UTS	MY46 MY47 UT976

1

2

3

4


5

FOR C007J/C007JD/C858J/C858JD

△ FOR C007J/C858J □ FOR C007JD/C858JD

11/12/22

PARTS LIST FOR MZ GROUP 系列圖 1



C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED
單位/UNIT:mm

所有尺寸公差/DIFFERENCE:±2

C007-T22-1070長度(L):1070/重量:1.5kg±5%

C007-T22長度(L):1200/重量:12.5kg±5%

全封邊灰格紋光塑面台板




TABLE CUT-OUT OF C007-T23

三針筒車下乘桌板圖

C007K/C007KD/C007J/C007JD/S007K/S007KD SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位/UNIT:mm

FOR一般車及自動切線

所有尺寸公差/DIFFERENCE:±2

C007-T23-1070長度(L):1070/重量:11.5kg±5%

C007-T23長度(L):1200/重量:12.5kg±5%

全封邊灰格紋光塑面台板




TABLE CUT-OUT OF C007-T24

三針筒車上乘桌板圖

C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位/UNIT:mm

FOR 一般車及自動切線

所有尺寸公差/DIFFERENCE:±2

C007-T24-1070長度(L):1070/重量:11.3kg±5%

C007-T24長度(L):1200/重量:12.3kg±5%

全封邊灰格紋光塑面台板




TABLE CUT-OUT OF C007-T25

三針筒車上乘桌板圖

C007J/C007JD/S007K/S007KD SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位/UNIT:mm



FOR CRL:CRL/UTP.Q

所有尺寸公差/DIFFERENCE:±2

C007-T25-1070長度(L):1070/重量:11.3kg±5%

C007-T25長度(L):1200/重量:12.3kg±5%

全封邊灰格紋光塑面台板



C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位/UNIT:mm

FOR CFC/CFE

所有尺寸公差/DIFFERENCE:±2

C007-T26-1070長度(L):1070/重量:1.4kg±5%

C007-T26 長度(L):1200/重量:12.4kg±5%

全封邊灰格紋光塑面台板





TABLE CUT-OUT OF C007-T30

三針筒車上乘桌板圖

C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位/UNIT:mm

FOR 印度客戶使用

所有尺寸公差/DIFFERENCE:±2

C007-T30-1070長度(L):1070/重量:11.3kg±5%

C007-T30長度(L):1200/重量:12.3kg±5%

全封邊灰格紋光塑面台板

