

SIRUBA

登峰

The Ultimate Perfection

造極

C007LX



銀箭牌

C007L

超高速筒型繡縫機

Ultra High Speed Cylinder Bed
Interlock Sewing Machine

C007LX

微油超高速筒型繡縫機

Semi-Dry Ultra High Speed Cylinder
Bed Interlock Sewing Machine




C007L SERIES



結合 SiRUBA 最高端技術的旗艦機種

Flagship model with SiRUBA's state-of-the-art innovation.



雙天秤挑線控線組

全新雙天秤挑線控線組的設計，縫製厚、薄布料皆適用，車縫適用範圍更廣，適用性更高。

Dual Thread Take-up Mechanism

The brand new design of dual thread take-up lever thread tension combination is ideal for both heavy and light fabric. Sewing applicable range is wider and the applicability is higher.



新設計上夾線裝置

出刀迅速精準，夾線穩定。

New-Designed Upper Thread Gripper


The new-designed upper thread gripper provides fast, precise movement and grips thread stably.

C007LX SERIES

無油無慮 Oilless

SiRUBA 的三針車提供您暢快的縫製體驗

C007LX provides you all new sewing experience.



針棒採用特殊的表面處理，縫製時無油污油漬，顯著提高縫製品質，減少重工與縫製品髒污。針棒潤滑機構再進化，增加零件耐久度。

Needle bar mechanism re-designed with new surface treatment, no oil stains and oil splash during operating, greatly increase sewing quality. Needle bar also has better durability due to new lubrication mechanism.



針棒與勾針的新油封結構

新的油封設計強化了機構的油附著力，減少了潤滑油甩出。此外，高耐磨材料顯著提高性能及耐久性。

New Oil Sealing Technology

New oil sealing structure used on needle bar and looper mechanism can efficiently avoid oil splash. New wear-resistant material also enhances performance and durability.



內縮式床台

縫製物更靠近針孔，車縫定位精準，車縫時更加順暢就手。

Recessed Machine Bed

The Recessed machine bed closer to needle plate provides a smoother and more seamless sewing.




短筒座的設計

操作性能優越，可因應廣泛的飾蓋縫紉工程，增加延伸蓋就可以車縫包邊或包帶之縫紉工程。

Recessed Cylinder Bed

The Cylinder arm front end is shortened. the short cylinder bed is optimized for a wide range of cover-stitch applications, the machine adapts directly to hemming or wrapping operations can be sewed just by an addition of an extended cover.



新型散熱結構同時降低振動

全新散熱設計提供最佳降溫效果。更穩固的防震結構，提升機械的安定與精度，車縫體驗更為順暢。

New Cooling System Technology

A renewed frame structure with better cooling mechanism. The vibration levels is also reduced optimizing better sewing experience.



直感式的差動送具調整

差動送具的調整機構設計在縫紉機本體的右後方，於車縫時使用右手直感操作，精準無誤。

Easy-to-adjust Differential Feed Dog Design

The differential feed dog adjuster is placed at right side. Adjust it easily while operating.

RH

弧型筒式 超高速繃縫機

Ultra High Speed Cylinder
Bed Interlock Sewing Machine



直覺式操作

RH 弧型筒式繃縫機，採直覺式放入布料，有效降低因人工疲勞操作所造成的不良率、提升生產效率，更適用於 T 恤圓領等縫製工藝。

More User-Friendly Operation

This new design makes fabric feeding more user-friendly and makes sewing process more easier and increases productivity. It is the best option for sewing T-Shirt's ribbed collar.



弧型短筒座的設計

改良傳統式繃縫機的稜角筒座，RH的弧型設計讓送料的縫製過程更順暢，且使操作時的取、放更為省力，可因應廣泛的飾蓋縫紉工程，增加延伸蓋就可以車縫邊或包帶之縫紉工程。

Shortened Cylinder Bed with Arc Shape Design

Improved from traditional interlock sewing machine, this new RH arc design leads to a more easier sewing process. It is also applicable for covering seam and for tape binding with extended cover.

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨
C007 LX - W12 2 - 2 40 / CH / DCLH

- ① 機種別 Model
- ② 系列 Series
- ③ 網線方式 Covering Types
- ④ 功能 Function
- ⑤ 針板舌片 Needle Plate Finger
- ⑥ 針數 Needle Numbers
- ⑦ 針距 Needle gauge
- ⑧ 配件 Device
- ⑨ 馬達 Motor
U : U Series / H : H Series

C007L/LX



C007L

C007LX

一般平縫 / 下擺車縫 General Seaming/Bottom Hemming

C007L/LX-W12⑤-2⑦/CH	1,2	2	4	3.2/ 4.0/ 4.8	1.4~3.6	0.9~1.4	5	H / U	5500	4500
C007L/LX-W12⑤-3⑦/CH	1,2	3	5	4.8/ 5.6/ 6.4	1.4~3.6	0.9~1.4	5	H / U	5500	4500
C007L/LX-U12⑤-2⑦/CH	1,2	2	3	3.2/ 4.0/ 4.8	1.4~3.6	0.9~1.4	7	H / U	5500	4500
C007L/LX-U12⑤-3⑦/CH	1,2	3	4	4.8/ 5.6/ 6.4	1.4~3.6	0.9~1.4	7	H / U	5500	4500
C007L/LX-W12⑤-2⑦/RH/RCH-3M	1,2	2	4	4.0/ 4.8	1.4~3.6	0.9~1.4	5	H / U	5500	4500
C007L/LX-W12⑤-3⑦/RH/RCH-3M	1,2	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H / U	5500	4500
C007L/LX-U12⑤-2⑦/RH/RCH-3M	1,2	2	3	4.0/ 4.8	1.4~3.6	0.9~1.4	7	H / U	5500	4500
C007L/LX-U12⑤-3⑦/RH/RCH-3M	1,2	3	4	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H / U	5500	4500
C007L/LX-W162-2⑦/CH	2	2	4	4.0/ 4.8	1.4~3.6	0.9~1.4	5	H / U	5500	4500
C007L/LX-W162-3⑦/CH	2	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H / U	5500	4500

選購配件 : UTP, UTQ, UTR, UTS, CLA, CMR, CAR/UTP, CAR/UTQ

Optional Device: UTP, UTQ, UTR, UTS, CLA, CMR, CAR/UTP, CAR/UTQ

羅紋褲頭鬆緊帶包縫 Tubular Rib-Fabric Elastic Waistband Attaching

C007L/LX-W152-3⑦/CZ/RLQ/(⑨)	2	3	5	5.6/ 6.4	1.4~3.6	0.3~2.9	5	H / U	5500	4500
-----------------------------	---	---	---	----------	---------	---------	---	-------	------	------

選購配件 : UTP, UTQ, CL*, CMR, CAR/UTP, CAR/UTQ

Optional Device: UTP, UTQ, CL*, CMR, CAR/UTP, CAR/UTQ

* 建議採用 CL 後拉輪，以提高車縫穩定性。

*CL rear puller is recommended to improve sewing stability.

倒骨蓋縫 Overlock-seam Covering Stitch

C007L/LX-W322-3⑦/CC	2	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H / U	5500	4500
C007L/LX-U322-3⑦/CC	2	3	4	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H / U	5500	4500
C007L/LX-W322-3⑦/CE	2	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H / U	5500	4500
C007L/LX-U322-3⑦/CE	2	3	4	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H / U	5500	4500

選購配件 : UTP, UTQ, UTR, UTS, CLA, CMR, CAR/UTP, CAR/UTQ

Optional Device: UTP, UTQ, UTR, UTS, CLA, CMR, CAR/UTP, CAR/UTQ

環型鬆緊帶褲頭接縫 Tubular Jacquard Elastic Waistband Attaching

C007L/LX-W532-2⑦/CR/UTP/CL/CX/RLP1	2	2	4	3.2/ 4.0/ 4.8	1.4~3.6	0.9~1.4	5	H	4500	4500
C007L/LX-W532-3⑦/CR/UTP/CL/CX/RLP1	2	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H	4500	4500
C007L/LX-U532-2⑦/CR/UTP/CL/CX/RLP1	2	2	3	3.2/ 4.0/ 4.8	1.4~3.6	0.9~1.4	7	H	4500	4500
C007L/LX-U532-3⑦/CR/UTP/CL/CX/RLP1	2	3	4	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H	4500	4500



鬆緊帶折縫 Elastic Hemming

C007L/LX-W542-2⑦/CFC	2	2	4	4.0/ 4.8	1.4~3.6	0.3~2.9	5	H / U	3500	3500
C007L/LX-W542-3⑦/CFC	2	3	5	5.6/ 6.4	1.4~3.6	0.3~2.9	5	H / U	3500	3500

選購配件 : FH, CL*

Optional Device: FH, CL*

* 建議採用 CL 後拉輪，以提高車縫穩定性。

*CL rear puller is recommended to improve sewing stability.

左切刀修布下擺車縫 Bottom Hemming with Left Side Fabric Trimmer

C007L/LX-W81⑤-2⑦/CRL	1,2,3	2	4	4.0/ 4.8	1.4~3.6	0.9~1.4	5	H / U	4500	4500
C007L/LX-W81⑤-3⑦/CRL	1,2,3	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H / U	4500	4500
C007L/LX-U81⑤-2⑦/CRL	1,2,3	2	3	4.0/ 4.8	1.4~3.6	0.9~1.4	7	H / U	4500	4500
C007L/LX-U81⑤-3⑦/CRL	1,2,3	3	4	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H / U	4500	4500
C007L/LX-W81⑤A-2⑦/CRL	1,2,3	2	4	4.0/ 4.8	1.4~3.6	0.9~1.4	5	H / U	4500	4500
C007L/LX-W81⑤A-3⑦/CRL	1,2,3	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H / U	4500	4500
C007L/LX-U81⑤A-2⑦/CRL	1,2,3	2	3	4.0/ 4.8	1.4~3.6	0.9~1.4	7	H / U	4500	4500
C007L/LX-U81⑤A-3⑦/CRL	1,2,3	3	4	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H / U	4500	4500

選購配件 : UTP, UTQ, UTR, CMR, CAR/UTP, CAR/UTQ, CL/UTP

Optional Device: UTP, UTQ, UTR, CMR, CAR/UTP, CAR/UTQ, CL/UTP

鬆緊帶上帶邊縫附左切刀 Elastic Attaching with Left Fabric Trimmer

C007L/LX-W82⑤-2⑦/CRL/CHP/CL/RL	1,2,3	2	4	4.0/ 4.8	1.4~3.6	0.9~1.4	5	H	4500	4500
C007L/LX-W82⑤-3⑦/CRL/CHP/CL/RL	1,2,3	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H	4500	4500
C007L/LX-U82⑤-2⑦/CRL/CHP/CL/RL	1,2,3	2	3	4.0/ 4.8	1.4~3.6	0.9~1.4	7	H	4500	4500
C007L/LX-U82⑤-3⑦/CRL/CHP/CL/RL	1,2,3	3	4	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H	4500	4500
C007L/LX-W82⑤A-2⑦/CRL/CHP/CL/RL	1,2,3	2	4	4.0/ 4.8	1.4~3.6	0.9~1.4	5	H	4500	4500
C007L/LX-W82⑤A-3⑦/CRL/CHP/CL/RL	1,2,3	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	5	H	4500	4500
C007L/LX-U82⑤A-2⑦/CRL/CHP/CL/RL	1,2,3	2	4	4.0/ 4.8	1.4~3.6	0.9~1.4	7	H	4500	4500
C007L/LX-U82⑤A-3⑦/CRL/CHP/CL/RL	1,2,3	3	5	5.6/ 6.4	1.4~3.6	0.9~1.4	7	H	4500	4500

選購配件 : UTP, UTQ, CMR, CAR/UTQ, CL/UTP

Optional Device: UTP, UTQ, CMR, CAR/UTQ, CL/UTP